


NEXTURN SA 20D/26D/32D

Higher precision : 0,003 mm runout

Nexturn ref

NX.000.D

AXIAL




ER-16
RATIO 1:1
8.000 RPM MAX.



NX.011.D


RADIAL SET-BACK



ER-16
RATIO 1:1
8.000 RPM MAX.

NX.021.D

RADIAL ADJUSTABLE




ER-11
RATIO 1:1
8.000 RPM MAX.



NX.035.D

THREAD WHIRLING ± 15°




CUTTING HEAD
RATIO 1:1
5.000 RPM MAX.



NX.029.D2


RADIAL 2 SPINDLES



ER-16
RATIO 1:1
8.000 RPM MAX.

NX.029.D3

RADIAL 3 SPINDLES



ER-16
RATIO 1:1
8.000 RPM MAX.



Tooling for : BENZINGER - CITIZEN - DMG - ESCOMATIC - HANWHA - MAIER - MANURHIN - PFIFFNER - PROTEO - STAR - TSUGAMI - WITECH - ETC.

MADAULA GROUP

Chicago - São Paulo

Barcelona - Bologna - Waghäusel

hello@madaula.com

Specials : welcome




NEXTURN SA 20X/32X/45D

Higher precision : 0,003 mm runout

Nexturn ref

NX.000.X

AXIAL




ER-16
RATIO 1:1
8.000 RPM MAX.



NX.011.X


RADIAL SET-BACK



ER-16
RATIO 1:1
8.000 RPM MAX.

NX.021.X

RADIAL ADJUSTABLE




ER-11
RATIO 1:1
8.000 RPM MAX.



NX.035.X

THREAD WHIRLING ± 15°




CUTTING HEAD
RATIO 1:1
5.000 RPM MAX.



NX.029.X2


RADIAL 2 SPINDLES




ER-16
RATIO 1:1
8.000 RPM MAX.

NX.029.X3

RADIAL 3 SPINDLES



ER-16
RATIO 1:1
8.000 RPM MAX.



Tooling for : BENZINGER - CITIZEN - DMG - ESCOMATIC - HANWHA - MAIER - MANURHIN - PFIFFNER - PROTEO - STAR - TSUGAMI - WITECH - ETC.

MADAULA GROUP

Chicago - São Paulo

Barcelona - Bologna - Waghäusel

hello@madaula.com

Specials : welcome




NEXTURN SA 20A/26E/32E/38E

Higher precision : 0,003 mm runout

Nexturn ref

NX.011.EL

**RADIAL
SET-BACK
LONG**




ER-16
RATIO 1:1
8.000 RPM MAX.



NX.011.ES

**RADIAL
SET-BACK
SHORT**




ER-11
RATIO 1:1
8.000 RPM MAX.



NX.035.E

**THREAD
WHIRLING ± 10°**




CUTTING HEAD
RATIO 1:1
5.000 RPM MAX.



NX.021.EL


**RADIAL
ADJUSTABLE
LONG**




ER-11
RATIO 1:1
8.000 RPM MAX.

NX.021.ES

**RADIAL
ADJUSTABLE
SHORT**



ER-11
RATIO 1:1
8.000 RPM MAX.



Tooling for : BENZINGER - CITIZEN - DMG - ESCOMATIC - HANWHA - MAIER - MANURHIN - PFIFFNER - PROTEO - STAR - TSUGAMI - WITECH - ETC.

MADAULA GROUP

Chicago - São Paulo

Barcelona - Bologna - Waghäusel

hello@madaula.com

Specials : welcome



NEXTURN


SA 12A/20A/18C
12B/20B/20LX

Higher precision : 0,003 mm runout

Nexturn ref

NX.011.AL

**RADIAL
SET-BACK
LONG**




ER-16
RATIO 1:1
8.000 RPM MAX.



NX.011.AS

**RADIAL
SET-BACK
SHORT**




ER-16
RATIO 1:1
8.000 RPM MAX.



NX.021.AL

**RADIAL
ADJUSTABLE
LONG**




ER-11
RATIO 1:1
8.000 RPM MAX.




NX.021.AS

**RADIAL
ADJUSTABLE
SHORT**



ER-11
RATIO 1:1
8.000 RPM MAX.



Tooling for : BENZINGER - CITIZEN - DMG - ESCOMATIC - HANWHA - MAIER - MANURHIN - PFIFFNER - PROTEO - STAR - TSUGAMI - WITECH - ETC.

MADAULA GROUP

Chicago - São Paulo

Barcelona - Bologna - Waghäusel

hello@madaula.com

Specials : welcome

